

CONTENTS

- Allen, R. K.** New species of *Heptagenia* from Western North America (Ephemeroptera: Heptageniidae), 80.
- Allen, W.** See Bird, R. D., 1191.
- Anwarullah, N.** *Porcupinychus abutiloni* (Acarina: Tetranychidae), a new mite from Pakistan, 71.
- Arnold, J. W.** An interpretation of the haemocyte complex in a stonefly, *Acroneuria arenosa* Pictet (Plecoptera: Perlidae), 394.
- Arthur, A. P.** Associative learning in *Itopectis conquisitor* (Say) (Hymenoptera: Ichneumonidae), 213.
The present status of the introduced skipper, *Thymelicus lineola* (Ochs.) (Lepidoptera: Hesperiiidae), in North America and possible methods of control, 622.
- Atkins, M. D.** Behavioural variation among scolytids in relation to their habitat, 285.
Laboratory studies on the behaviour of the Douglas-fir beetle, *Dendroctonus pseudotsugae* Hopkins, 953.
- Atwood, C. E.** See Knerer, G., 881, 1337.
- Augustin, C. L.** See Corbet, P. S., 1284.
- Bay, E. C.** See Legner, E. F., 28.
- Beanlands, G. E.** A laboratory-rearing method for observing adult bark beetles and their developing broods, 412.
- Becker, E. C.** A new species of *Hypolithus* from the southwestern United States (Coleoptera: Elateridae), 204.
- Bedard, W. D.** High temperature mortality of the sugar-pine cone beetle, *Conophthorus lambertianae* Hopkins (Coleoptera: Scolytidae), 152.
- Béique, R.** See Francoeur, A., 140.
- Benoit, P.** Descriptions of some *Chrysobothris* larvae (Coleoptera: Buprestidae) occurring in the United States and Mexico, 324.
Description de la larve du *Melanophila acuminata* DeGeer et de quelques caractères distinctifs du *Melanophila fulvoguttata* (Harris) (Coleoptera: Buprestidae), 1208.
- Berryman, A. A.** Studies on the behavior and development of *Enoclerus lecontei* (Wolcott), a predator of the western pine beetle, 519.
Factors influencing oviposition, and the effect of temperature on development and survival of *Enoclerus lecontei* (Wolcott) eggs, 579.
- Bérubé, J. A. C.** See Smith, B. C., 1005.
- Bird, R. D., Allen, W., and Smith, D. S.** The responses of grasshoppers to ecological changes produced by agricultural development in southwestern Manitoba, 1191.
- Bird, R. D. and Romanow, W.** The effect of agricultural development on the grasshopper populations of the Red River Valley of Manitoba, Canada, 487.
- Bowser, R. L.** See Lindquist, O. H., 252.
- Bracken, G. K.** Role of ten dietary vitamins on fecundity of the parasitoid *Exeristes comstockii* (Cresson) (Hymenoptera: Ichneumonidae), 918.
- Brown, W. J.** The species of *Sterenmus* Schoenherr (Coleoptera: Curculionidae), 586.
Chrysomelinae and Curculionidae (Coleoptera); descriptions and notes, 855.
- Burns, J. M.** Expanding distribution and evolutionary potential of *Thymelicus lineola* (Lepidoptera: Hesperiiidae), an introduced skipper, with special reference to its appearance in British Columbia, 859.
- Carr, J. L. and Leech, H. B.** The rediscovery of *Agabus audeni* Wallis, and a note on *Agabus coxalis* Sharp (Coleoptera: Dytiscidae), 544.
- Chabora, P. C. and Pimentel, D.** Effect of host (*Musca domestica* Linnaeus) age on the pteromalid parasite *Nasonia virripennis* (Walker), 1226.
- Chapman, J. A.** The effect of attack by the ambrosia beetle *Trypodendron lineatum* (Olivier) on log attractiveness, 50.
- Chiang, H. C.** See Ewert, M. A., 999.

- Chillcott, J. G.** A new species of *Roederiodes* Coquillett (Diptera: Empididae) from Utah, with additional notes on the genus, 315.
The male *Fannia shinabanae* Chillcott (Diptera: Muscidae) and its proper affinities in the genus, 555.
- Chillcott, J. G. and James, H. G.** A new species of *Paraprosalpia* Villeneuve (Diptera: Anthomyiidae) reared from a beetle larva, 699.
- Condrashoff, S. F.** A description of the immature stages of *Steremnius carinatus* (Boheman) (Coleoptera: Curculionidae), 663.
Larval descriptions of *Zeiraphera pacifica* Freeman and *Epinotia hopkinsana* (Kearfott) (Lepidoptera: Olethreutidae), 703.
- Corbet, P. S.** A quantitative method for assessing the nuisance caused by non-biting aquatic insects, 683.
Diel periodicities of emergence and oviposition in Riverine Trichoptera, 1025.
Diel patterns of mosquito activity in a high arctic locality: Hazen Camp, Ellesmere Island, N.W.T., 1238.
- Corbet, P. S., Schmid, F., and Augustin, C. L.** The Trichoptera of St. Helen's Island, Montreal. I. The species present and their relative abundance at light, 1284.
- Crosswhite, C. D. and Medler, J. T.** Morphology and histology of the neuroendocrine system of *Bombus fervidus* Fabricius (Hymenoptera: Apidae), 1329.
- Dahlsten, D. L.** Some biological attributes of sawflies in the *Neodiprion fulviceps* complex in a brushfield pine plantation (Hymenoptera: Diprionidae), 1055.
- Daviault, L. and Ducharme, R.** Life history and habits of the green spruce leaf miner, *Epinotia nanana* (Treitschke) (Lepidoptera: Tortricidae), 693.
- Davies, D. M.** See Mook, L. J., 913.
- Davis, G. R. F.** Survival and development of *Oryzaephilus surinamensis* (L.) (Coleoptera: Silvanidae) on wheat-flour diets and on casein diets supplemented with biotin and ascorbic acid, 263.
- Denning, D. G. and Sykora, J.** New North American Trichoptera, 1219.
- Doane, J. F.** Absorption and content of water in eggs of *Ctenicera destructor* (Brown), *Ctenicera aeripennis* (Kirby) and *Hypolithus bicolor* Eschscholtz (Coleoptera: Elateridae) 482.
- Dodge, H. R.** Studies on mosquito larvae. II. The first-stage larvae of North American Culicidae and of World Anophelinae, 337.
- Downes, J. A.** The Lepidoptera of Greenland; some geographic considerations, 1135.
Observations on the mating behaviour of the crab hole mosquito *Deinocerites cancer* (Diptera: Culicidae), 1169.
- Downing, R. S.** Quinoxalines as orchard acaricides in British Columbia, 134.
- Drooz, A. T.** Some effects of rearing density on the biology of the elm spanworm, 83.
- Ducharme, R.** See Daviault, L., 693.
- Dustan, G. G.** Occurrence in Ontario of the pear fruit sawfly, *Hoplocampa brevis* (Klug), 267.
Effects of tagging amounts of radioactive phosphorus on adults of the oriental fruit moth, *Grapholitha molesta* (Busck) (Lepidoptera: Tortricidae), 305.
- Eidt, D. C., Embree, D. G., and Smith, C. C.** Distinguishing adults of the winter moth *Operophtera brumata* (L.), and bruce spanworm *O. bruceata* (Hulst) (Lepidoptera: Geometridae), 258.
- Elliott, D. P. and Powell, J. M.** A cage for collecting insects from tree stems and branches, 1112.
- Embree, D. G.** The role of introduced parasites in the control of the winter moth in Nova Scotia, 1159.
See also Eidt, D. C., 258.
- Endrödi, S.** See Howden, H. F., 295.
- Ewert, M. A. and Chiang, H. C.** Dispersal of three species of coccinellids in corn fields, 999.
- Farr, T. H.** See Legner, E. F., 28.
- Finlayson, T.** The false cocoon of *Hyposoter parorgyiae* (Vier.) (Hymenoptera: Ichneumonidae), 139.

- Flanders, S. E.** The circumstances of species replacement among parasitic Hymenoptera, 1009.
- Francoeur, A. et Béique, R.** Les Formicides (Hyménoptères) de Provancher, 140.
- Freeman, T. N.** A new species of *Zeiraphera* Treitschke from British Columbia (Lepidoptera: Tortricidae), 588.
- Freitag, R.** The female genitalia of four species of tiger beetles (Coleoptera: Cicindelidae) 942.
- Furniss, M. M.** See Smith, H. W., 249.
- Fye, R. E.** *Sphaerularia bombi* Duford parasitizing *Bombus* queens in northwestern Ontario, 88.
- Gardiner, L. M.** A photographic record of oviposition by *Rhyssa lineolata* (Kirby) (Hymenoptera: Ichneumonidae), 95.
- Gerling, D.** Studies with whitefly parasites of southern California. I. *Encarsia pergandiella* Howard (Hymenoptera: Aphelinidae), 707.
Studies with whitefly parasites of southern California. II. *Eretmocerus californicus* Howard (Hymenoptera: Aphelinidae), 1316.
- Goble, H. W.** See Wilde, W. H. A., 145.
- Harcourt, D. G.** Major factors in survival of the immature stages of *Pieris rapae* (L.), 653.
Sequential sampling for the imported cabbageworm, *Pieris rapae* (L.), 741.
- Hardwick, D. F.** A synopsis of the *westermanni* group of the genus *Euxoa* Hbn. (Lepidoptera: Noctuidae) with descriptions of two new species, 760.
A description of a new subspecies of *Helicoverpa pallida* Hardwick with notes on the Heliothidinae (Lepidoptera: Noctuidae), 867.
- Harnden, A. A.** See Lindquist, O. H., 1312.
- Harper, A. M.** Three additional poplar gall aphids from southern Alberta, 1212.
- Haynes, D. L. and Sisojevic, P.** Predatory behavior of *Philodromus rufus* Walckenaer (Araneae: Thomisidae), 113.
- Herbert, H. J.** See Sanford, K. H., 991.
- Herne, D. H. C.** See Putman, W. L., 808.
- Herne, D. H. C. and Putman, W. L.** Toxicity of some pesticides to predacious arthropods in Ontario peach orchards, 936.
- Heron, R. J.** The reproductive capacity of the larch sawfly and some factors of concern in its measurement, 561.
- Hildebrandt, A. C.** See Hollebone, J. E., 1259.
- Hobbs, G. A.** Ecology of species of *Bombus* Latr. (Hymenoptera: Apidae) in southern Alberta. IV. Subgenus *Fervidobombus* Skorikov, 33.
Ecology of species of *Bombus* Latr. (Hymenoptera: Apidae) in southern Alberta V. Subgenus *Subterraneobombus* Vogt, 288.
- Hocking, B. and Khan, A. A.** The mode of action of repellent chemicals against blood-sucking flies, 821.
- Hollebone, J. E., Medler, J. T., and Hildebrandt, A. C.** The feeding of *Empoasca fabae* (Harris) on broad bean callus in tissue culture, 1259.
- House, H. L.** The role of nutritional principles in biological control, 1121.
- Howden, H. F.** Notes on Canthonini of the "Biologia Centrali-Americana" and descriptions of new species (Coleoptera: Scarabaeidae), 725.
Some possible effects of the Pleistocene on the distributions of North American Scarabaeidae (Coleoptera), 1177.
- Howden, H. F. and Endrödi, S.** Five new species of *Cyclocephala* Latreille from North and Central America (Coleoptera: Scarabaeidae), 295.
- Hudon, M.** *Itopectis conquisitor* (Say) (Hymenoptera: Ichneumonidae), a new parasite of the European corn borer, *Ostrinia nubilalis* (Hübner) (Lepidoptera: Pyralidae), in Canada, 1340.
- Ives, W. G. H. and Nairn, L. D.** Effects of water levels on the overwintering survival and emergence of the larch sawfly in a bog habitat, 768.

- Jack, I. D.** See Madsen, H. F., 903.
- Jackson, D. and Masner, L.** A redescription of *Metanopodias brummeipes* (Ashmead) (Hymenoptera: Platygasteridae) with notes on its geographical distribution and host relationships, 1214.
- James, H. G.** Insect predators of univoltine mosquitoes in woodland pools of the Precambrian Shield in Ontario, 550.
See also Chillcott, J. G., 699.
- Jaques, R. P. and Stultz, H. T.** The influence of a virus disease and parasites on *Spilonota ocellana* in apple orchards, 1035.
- Jay, D. H.** See Jay, S. C., 170.
- Jay, S. C. and Jay, D. H.** A behavioral study of a gynandromorphic honey bee, 170.
- Kelton, L. A.** Synopsis of the genus *Tetraphleps* Fieber in North America (Hemiptera: Anthocoridae), 199.
A new species of *Lyctocoris* Hahn from Mexico (Heteroptera: Anthocoridae), 320.
Two new species of *Keltonia* Knight, with a key to known species (Hemiptera: Miridae), 668.
Review of the species of *Teratocoris* Fieber, with description of a new species from the nearctic region (Hemiptera: Miridae), 1265.
Pitbanus maerkeli (Herrich-Schaffer) and *Actitocoris signatus* Reuter in North America (Hemiptera: Miridae), 1305.
- Kevan, D. K. M.** A revision of the known asiatic Sphenariini (Orthoptera: Acridoidea: Pyrgomorphidae) with the erection of a new genus, 1275.
- Khan, A. A.** See Hocking, B., 821.
- Knerer, G. and Atwood, C. E.** Additional descriptions in the genus *Dialictus* Robertson (Hymenoptera: Halictidae), 881.
Nest architecture as an aid in halictine taxonomy (Hymenoptera: Halictidae), 1337.
- Knight, H. H.** *Keltonia*, a new genus near *Reuteroscopus* Kirk., with descriptions of new species (Hemiptera: Miridae), 590.
- Krywienczyk, J.** See Thomas, J. B., 1094.
- Lanier, G. N.** Interspecific mating and cytological studies of closely related species of *Ips* DeGeer and *Orthotomicus* Ferrari (Coleoptera: Scolytidae), 175.
- Leech, H. B.** See Carr, J. L., 544.
- Legner, E. F., Bay, E. C., and Farr, T. H.** Parasitic and predacious agents affecting the *Hippelates pusio* complex in Jamaica and Trinidad, 28.
- Legner, E. F. and McCoy, C. W.** The housefly, *Musca domestica* Linnaeus, as an exotic species in the Western Hemisphere incites biological control studies, 243.
- Lindquist, O. H.** An abnormal larva of *Anchylopera burgessiana* Zeller (Lepidoptera: Olethreutidae), 262.
- Lindquist, O. H. and Bowser, R. L.** A biological study of the leaf miner, *Chrysopeleia ostryaella* Chambers (Lepidoptera: Cosmopterygidae), on ironwood in Ontario, 252.
- Lindquist, O. H. and Harnden, A. A.** Notes on *Epinotia nanana* Treitschke (Lepidoptera: Olethreutidae), and keys to the immature stages of four needle miners of spruce in Ontario, 1312.
- Logan, D. M.** See Proverbs, M. D., 90.
- Lowe, R. B.** A portable power and control system for the operation of low-wattage argon lamps used in insect light traps, 241.
- Lyall, L. H.** See Matthewman, W. G., 59.
- Madsen, H. F. and Jack, I. D.** The relation of thrips to pansy spot on apples, 903.
- Mansingh, A. and Smallman, B. N.** Photoperiod control of an 'obligatory' pupal diapause, 613.
- Martin, J. E. H.** See McAlpine, J. F., 527.
- Martin, J. L.** The insect ecology of red pine plantations in central Ontario. IV. The crown fauna, 10.
- Masner, L.** See Jackson, D., 1214.

- Mason, W. R. M.** A primitive new species of *Kristotomus* Mason (Hymenoptera: Ichneumonidae), 46.
- Matthewman, W. G.** See Pielou, D. P., 1308.
- Matthewman, W. G. and Lyall, L. H.** Resistance in cabbage to the cabbage maggot, *Hylemya brassicae* (Bouché), 59.
- Maw, M. G.** Air ions and blood pH of the wax moth, *Galleria mellonella* L., 302.
- McAlpine, J. F. and Martin, J. E. H.** Systematics of Sciadoceridae and relatives with descriptions of two new genera and species from Canadian amber and erection of family Ironomyiidae (Diptera: Phoroidea), 527.
- McClanahan, R. J. and Simmons, H. S.** Sterilization of onion maggots by irradiation with cesium-137, 931.
- McCoy, C. W.** See Legner, E. F., 243.
- McLeod, J. M.** Notes on the biology of a spruce needle-miner, *Pulicalvaria piceaella* (Kearfott) (Lepidoptera: Gelechiidae), 225.
- The spatial distribution of cocoons of *Neodiprion swainei* Middleton in a jack pine stand. I. A cartographic analysis of cocoon distribution, with special reference to predation by small mammals, 430.
- McMullen, R. D.** New records of chalcidoid parasites and hyperparasites of *Psylla pyricola* Förster in British Columbia, 236.
- Medler, J. T.** See Hollebone, J. E., 1259; Crosswhite, C. D., 1329.
- Menke, A. S.** The genera of the Ammophilini (Hymenoptera: Sphecidae), 147.
- Miller, C. A.** The black-headed budworm in Eastern Canada, 592.
- Millers, I.** See Wilson, L. F., 1118.
- Milliron, H. E. and Oliver, D. R.** Bumblebees from northern Ellesmere Island, with observations on usurpation by *Megabombus hyperboreus* (Schönh.) (Hymenoptera: Apidae), 207.
- Monteith, L. G.** Influence of new growth on the food plant of the host on host-finding by *Drino bohémica* Mesnil (Diptera: Tachinidae), 1205.
- Mook, L. J. and Davies, D. M.** The European praying mantis (*Mantis religiosa* L.) as a predator of the red-legged grasshopper (*Melanoplus femurrubrum* (De Geer)), 913.
- Morris, R. F.** Note on the occurrence of *Anacampsis populella* (Clerck) (Lepidoptera: Gelechiidae) in Canada, 1003.
- Moss, W. W.** *Dermanyssus gallinoides* n. sp. (Mesostigmata: Laelaptoidea: Dermanyssidae), an acarine parasite of woodpeckers in Western North America, 635.
- Nairn, L. D.** See Ives, W. G. H., 768.
- Newton, J. R.** See Proverbs, M. D., 90.
- Nimmo, A. P.** A list of Trichoptera taken at Montreal and Chambly, Quebec, with descriptions of three new species, 688.
- Oliver, D. R.** See Milliron, H. E., 207.
- Ollien, M. M. and Schenk, J. A.** The biology of *Eucosma rescissoriana* Heinrich in western white pine in Idaho (Lepidoptera: Olethreutidae), 268.
- Pickford, R.** Development, survival and reproduction of *Cammula pellucida* (Scudder) (Orthoptera: Acrididae) in relation to climatic conditions, 158.
- The influence of data of oviposition and climatic conditions on hatching of *Cammula pellucida* (Scudder) (Orthoptera: Acrididae), 1145.
- Pielou, D. P.** The fauna of *Polyporus betulinus* (Bulliard) Fries (Basidiomycetes: Polyporaceae) in Gatineau Park, Quebec, 1233.
- Pielou, D. P. and Matthewman, W. G.** The fauna of *Fomes fomentarius* (Linnaeus ex Fries) Kickx growing on dead birch in Gatineau Park, Quebec, 1308.
- Pilon, J. G.** Influence of temperature and relative humidity on the life-span of adults of the Swaine jack-pine sawfly, *Neodiprion swainei* Middleton (Hymenoptera: Diprionidae), 789.
- Pimentel, D.** Population ecology of insect invaders of the Maritime Provinces, 887.
- See also Takahashi, F., 633; Chabora, P. C., 1226.
- Powell, J. M.** See Elliott, D. P., 1112.

- Price, P. W.** Some relationships between *Polygraphus rufipennis* (Kirby) (Coleoptera: Scolytidae) and spruces in New Brunswick, 239.
- Price, R. D.** Two new species of *Colpocephalum* (Mallophaga: Menoponidae), 317.
- Proverbs, M. D., Newton, J. R., and Logan, D. M.** Orchard assessment of the sterile male technique for control of the codling moth, *Carpocapsa pomonella* (L.) (Lepidoptera: Olethreutidae), 90.
- Putman, W. L.** See Herne, D. H. C., 936.
- Putman, W. L. and Herne, D. H. C.** The role of predators and other biotic agents in regulating the population density of phytophagous mites in Ontario peach orchards, 808.
- Quednau, F. W.** A list of aphids from Quebec with descriptions of two new species (Homoptera: Aphidoidea), 415.
- Raine, J.** Life history of *Dasystoma salicellum* Hbn. (Lepidoptera: Oecophoridae), a new pest of blueberries in British Columbia, 331.
- Rayner, H. B. and Wright, R. H.** Far infrared spectra of mosquito repellents, 76.
- Richards, W. R.** A new species of *Dactynotus* Rafinesque (Homoptera: Aphididae), 312.
A new species of *Thelaxes* Westwood (Homoptera: Aphididae), 322.
Systematics of fossil aphids from Canadian amber (Homoptera: Aphididae), 746.
A review of *Monelliopsis* Richards, with descriptions of two new species (Homoptera: Aphididae), 798.
A review of *Plocamaphis* Oestlund with descriptions of three new species (Homoptera: Aphididae), 835.
A new species of *Myzocallis* Passerini, with a key to the North American species (Homoptera: Aphididae), 876.
Three new North American poplar-infesting Chaitophorinae (Homoptera: Aphididae), 1104.
- Richardson, H. P.** See Westdal, P. H., 922.
- Rivard, I.** Ground beetles (Coleoptera: Carabidae) in relation to agricultural crops, 189.
- Robinson, A. G.** Review of the fern aphids in North America with descriptions of a new species and a new genus, 1252.
- Romanow, W.** See Bird, R. D., 487.
- Rose, A. H. and Sippell, W. L.** Distribution of cocoon parasites of the European pine sawfly, *Neodiprion sertifer* (Geoffroy), in southern Ontario, 40.
- Ross, H. H.** See Yamamoto, T., 627.
- Rudinsky, J. A.** Host selection and invasion by the Douglas-fir beetle, *Dendroctonus pseudotsugae* Hopkins, in coastal Douglas-fir forests, 98.
- Sanford, K. H. and Herbert, H. J.** The influence of spray programs on the fauna of apple orchards in Nova Scotia. XV. Chemical controls for winter moth, *Operophtera brumata* (L.), and their effects on phytophagous mite and predator populations, 991.
- Schenk, J. A.** See Ollieu, M. M., 268.
- Schmid, F.** See Corbet, P. S., 1284.
- Schmidt, F. H.** Two artificial (oligidic) media for the Douglas-fir beetle, *Dendroctonus pseudotsugae* Hopkins (Coleoptera: Scolytidae), 1050.
- Schmiede, D. C.** A note on the occurrence of the larch sawfly in Alaska, 671.
The relation of weather to two population densities of the black-headed budworm, *Acleris variata* (Fernald) (Lepidoptera: Tortricidae), in Coastal Alaska, 1045.
- Selander, R. B.** A classification of the genera and higher taxa of the meloid subfamily Eleticinae (Coleoptera), 449.
- Shepherd, R. F.** Factors influencing the orientation and rates of activity of *Dendroctonus ponderosae* Hopkins (Coleoptera: Scolytidae), 507.
- Simmons, H. S.** See McClanahan, R. J., 931.
- Sippell, W. L.** See Rose, A. H., 40.
- Sisojević, P.** See Haynes, D. L., 113.
- Smallman, B. N.** See Mansingh, A., 613.
- Smith, D. S.** Fecundity and oviposition in the grasshoppers *Melanoplus sanguinipes* (F.) and *Melanoplus bivitatus* (Say), 617.
See also Bird, R. D., 1191.

- Smith, B. C.** Variation in weight, size, and sex ratio of coccinellid adults (Coleoptera: Coccinellidae), 639.
- Smith, B. C. and Bérubé, J. A. C.** Effects of sex sterilants on the growth of coccinellid larvae (Coleoptera: Coccinellidae), 1005.
- Smith, C. C.** See Eidt, D. C., 258.
- Smith, H. W. and Furniss, M. M.** An automatically recording insect flight mill, 249.
- Stairs, G. R.** Transmission of virus in tent caterpillar populations, 1100.
- Stark, R. W.** See Wood, D. L., 1.
- Stevenson, A. B.** Occurrence of the grape cane girdler, *Ampelogypter ater* LeConte (Coleoptera: Curculionidae) in Ontario, 880.
Seasonal development of foliage infestations of grape in Ontario by *Phylloxera vitifoliae* (Fitch) (Homoptera: Phylloxeridae), 1299.
- Stultz, H. T.** See Jaques, R. P., 1035.
- Sykora, J.** See Denning, D. G., 1219.
- Takahashi, F. and Pimentel, D.** pH changes in various housefly media, 633.
- Thomas, J. B.** Some Scolytidae from the Sierra Madre Occidental in Mexico, 871.
- Thomas, J. B. and Krywienczyk, J.** Preliminary results of a serological examination of some Scolytidae and Curculionidae, 1094.
- Trottier, R.** The emergence and sex ratio of *Anax junius* Drury (Odonata: Aeshnidae) in Canada, 794.
- Vockeroth, J. R.** A method of mounting insects from alcohol, 69.
- Waddell, C. D.** See Wilson, L. F., 1118.
- Walker, E. M.** On the generic status of *Tetragoneuria* and *Epicordulia* (Odonata: Corduliidae), 897.
- Walley, G. S.** Notes on the recognition of two species of *Tranosema* Foerster (Hymenoptera: Ichneumonidae) from the Nearctic Region, 832.
A review of the Nearctic Genus *Bothromus* Townes and Townes, with a description of one new species (Hymenoptera: Ichneumonidae), 1272.
- Westdal, P. H. and Richardson, H. P.** The painted leafhopper, *Endria inimica* (Say), a vector of wheat striate mosaic virus in Manitoba, 922.
- Wileox, J.** New species and keys to the species of *Ablautus* Loew and *Onmiablautus* Pritchard (Diptera: Asilidae), 673.
- Wilde, W. H. A.** Climbing night-shade as a host of the pear psylla (Homoptera: Psyllidae), 558.
- Wilde, W. H. A. and Goble, H. W.** A note on *Rhagoletis pomonella* (Walsh) trapping (Diptera: Tryptetidae), 145.
- Wilson, L. F.** Life history, habits, and damage of the boxelder leaf gall midge, *Contarinia negundifolia* Felt (Diptera: Cecidomyiidae) in Michigan, 777.
- Wilson, L. F., Waddell, C. D., and Millers, I.** A way to distinguish sex of adult *Hylobius* weevils in the field, 1118.
- Wong, H. R.** A new species of *Allantus* Panzer on birch (Hymenoptera: Tenthredinidae), 852.
- Wood, D. L. and Stark, R. W.** The effects of gamma radiation on the biology and behavior of adult *Ips confusus* (LeConte) (Coleoptera: Scolytidae), 1.
- Wright, R. H.** An insect olfactometer, 282.
Primary odors and insect attraction, 1083.
Some quantitative aspects of insect attraction, 1114.
See also Rayner, H. B., 76.
- Wylie, H. G.** Some effects of female parasite size on reproduction of *Nasonia vitripennis* (Walk.) (Hymenoptera: Pteromalidae), 196.
Survival and reproduction of *Nasonia vitripennis* (Walk.) at different host population densities, 275.
Some mechanisms that affect the sex ratio of *Nasonia vitripennis* (Walk.) (Hymenoptera: Pteromalidae) reared from superparasitized housefly pupae, 645.
- Yamamoto, T.** Five new species of the caddisfly genus *Polycentropus* from South America (Trichoptera: Polycentropodidae), 908.
- Yamamoto, T. and Ross H. H.** A phylogenetic outline of the caddisfly genus *Mystacides* (Trichoptera: Leptoceridae), 627.

INDEX OF NEW TAXA

New Families and Subfamilies

Canadaphidinae Richards	
(Homoptera)	754
Ironomyiidae McAlpine and Martin	
(Diptera)	528
Palaeoaphidinae Richards	
(Homoptera)	750

New Subtribes

Anthicoxenina Selander (Coleoptera)	470
Eospastina Selander (Coleoptera)	474
Xenospastina Selander (Coleoptera)	467

New Genera and Subgenera

<i>Alloambria</i> Richards (Homoptera)	756
<i>Ambaraphis</i> Richards (Homoptera)	752
<i>Aniferella</i> Richards (Homoptera)	759
<i>Eospasta</i> Selander (Coleoptera)	474
<i>Heterocallis</i> Quednau (Homoptera)	422
<i>Keltonia</i> Knight (Hemiptera)	590
<i>Mekongiella</i> Kevan (Orthoptera)	1279
<i>Palaeoaphis</i> Richards (Homoptera)	750
<i>Papulaphis</i> Robinson (Homoptera)	1256
<i>Porcupinychus</i> Anwarullah (Acarina)	71
<i>Prioriphora</i> McAlpine and Martin	
(Diptera)	532
<i>Pseudambria</i> Richards (Homoptera)	758
<i>Sciadophora</i> McAlpine and Martin	
(Diptera)	529
<i>Serropasta</i> Selander (Coleoptera)	476
<i>Xenospasta</i> Selander (Coleoptera)	467

New Species and Subspecies

<i>abutiloni</i> Anwarullah, <i>Porcupinychus</i>	71
<i>agrifolicola</i> Richards, <i>Myzocallis</i>	878
<i>albipes</i> Richards, <i>Tbelaxes</i>	322
<i>archimedia</i> Richards, <i>Palaeoaphis</i>	752
<i>arcopa</i> Denning, <i>Wormaldia</i>	1219
<i>arenosa</i> Howden and Endrödi,	
<i>Cyclocephala</i>	296
<i>ariensis</i> Denning and Sykora,	
<i>Polycentropus</i>	1220
<i>arnaudi</i> Wilcox, <i>Ablautus</i>	675
<i>basini</i> Wilcox, <i>Ablautus</i>	676
<i>bicolor</i> Walley, <i>Bothromus</i>	1273
<i>biparta</i> Denning, <i>Limnephilus</i>	1223
<i>bisetosa</i> Richards, <i>Monelliopsis</i>	799
<i>borealis</i> Kelton, <i>Teratocoris</i>	1269
<i>bostoni</i> McAlpine and Martin,	
<i>Sciadophora</i>	530
<i>bostoni</i> Richards, <i>Aniferella</i>	759
<i>bradleyi</i> Richards, <i>Plocamaphis</i>	837
<i>bulbosa</i> Richards, <i>Plocamaphis</i>	839
<i>caligatus</i> Richards, <i>Dactynotus</i>	312
<i>canadambria</i> McAlpine and Martin,	
<i>Prioriphora</i>	532
<i>canadensis</i> Richards,	
<i>Pseudopteroconoma</i>	1105
<i>casicus</i> Denning, <i>Polycentropus</i>	1222
<i>caudata</i> Richards, <i>Alloambria</i>	757
<i>chilensis</i> Yamamoto, <i>Polycentropus</i>	911

<i>chimoensis</i> Hardwick, <i>Euxoa</i>	766
<i>clinopodii</i> Kelton, <i>Keltonia</i>	668
<i>coacbellus</i> Wilcox, <i>Ablautus</i>	677
<i>coabuilensis</i> Howden, <i>Canthon</i>	732
<i>colei</i> Wilcox, <i>Ablautus</i>	678
<i>corbeti</i> Nimmo, <i>Hydropsyche</i>	688
<i>corni</i> Brown, <i>Conotrachelus</i>	858
<i>costalis</i> Richards, <i>Ambaraphis</i>	752
<i>cystopteris</i> Robinson, <i>Macrosiphum</i>	1253
<i>davialti</i> Quednau, <i>Heterocallis</i>	422
<i>disabanci</i> Knerer and Atwood,	
<i>Dialictus</i>	882
<i>doronca</i> Denning and Sykora,	
<i>Polycentropus</i>	1220
<i>dytisci</i> Chillcott, <i>Paraprosalpia</i>	700
<i>elatus</i> Denning & Sykora, <i>Oecetis</i>	1225
<i>elongata</i> Yamamoto and Ross,	
<i>Mystacides</i>	630
<i>elongatus</i> Yamamoto, <i>Polycentropus</i>	909
<i>expositionis</i> Nimmo, <i>Protophila</i>	690
<i>falcia</i> Denning, <i>Oecetis</i>	1225
<i>flava</i> Selander, <i>Xenospasta</i>	468
<i>forcipulata</i> Howden and Endrödi,	
<i>Cyclocephala</i>	299
<i>fuscipunctata</i> Knight, <i>Keltonia</i>	591
<i>gallinoides</i> Moss, <i>Dermanyssus</i>	636
<i>graniculata</i> Denning, <i>Limnephilus</i>	1223
<i>javensis</i> Price, <i>Colpocephalum</i>	319
<i>jemula</i> Denning, <i>Polycentropus</i>	1219
<i>jewetti</i> Allen, <i>Heptagenia</i>	80
<i>knighii</i> Kelton, <i>Keltonia</i>	668
<i>laminatus</i> Yamamoto, <i>Polycentropus</i>	909
<i>linsleyi</i> Wilcox, <i>Ablautus</i>	679
<i>longirostris</i> Richards, <i>Pseudambria</i>	758
<i>luteomaculata</i> Hardwick, <i>Euxoa</i>	764
<i>major</i> Brown, <i>Anthrenomus pumilus</i>	856
<i>mexicanus</i> Kelton, <i>Lycotocoris</i>	320
<i>miamiensis</i> Howden and Endrödi,	
<i>Cyclocephala</i>	295
<i>minas</i> Selander, <i>Spastica</i>	466
<i>montanum</i> Howden, <i>Deltocbilum</i>	
<i>scabriusculum</i>	737
<i>montrealensis</i> Nimmo,	
<i>Cheumatopsyche</i>	689
<i>morsei</i> Howden, <i>Canthon</i>	728
<i>nigripes</i> Wilcox, <i>Onmiablaustus</i>	681
<i>niboaensis</i> Hardwick, <i>Helicoverpa</i>	
<i>pallida</i>	867
<i>nodulosus</i> Richards, <i>Chaitophorus</i>	1111
<i>nudus</i> Richards, <i>Chaitophorus</i>	1107
<i>ontarioensis</i> Richards, <i>Plocamaphis</i>	846
<i>pacifica</i> Freeman, <i>Zeiraphera</i>	588
<i>pallidus</i> Becker, <i>Hypolithus</i>	204
<i>panamensis</i> Howden, <i>Deltocbilum</i>	
<i>gibbosum</i>	736
<i>paradmirandus</i> Knerer and Atwood,	
<i>Dialictus</i>	886
<i>perpunctatulus</i> Knerer and Atwood,	
<i>Dialictus</i>	884
<i>perspicuus</i> Knerer and Atwood,	
<i>Dialictus</i>	883

<i>petersi</i> Allen, <i>Heptagenia</i>	82	<i>sinaloae</i> Howden and Endrödi,	
<i>peterstoni</i> Chillcott, <i>Roederiodes</i>	315	<i>Cyclocephala</i>	298
<i>pumilae</i> Brown, <i>Anthonomus</i>	856	<i>sonorae</i> Brown, <i>Chrysomela</i>	855
<i>pumilae</i> Brown, <i>Anthonomus pumilae</i>	856	<i>strangei</i> Price, <i>Colpocephalum</i>	317
<i>quercina</i> Quednau, <i>Stegophylla</i>	417	<i>tbujae</i> Brown, <i>Hexarthrum</i>	858
<i>recurvatus</i> Yamamoto, <i>Polycentropus</i>	911	<i>tolandi</i> Wilcox, <i>Ommiablautus</i>	682
<i>robacki</i> Yamamoto, <i>Polycentropus</i>	911	<i>tuberculata</i> Richards, <i>Monelliopsis</i>	806
<i>rubrofemorata</i> Knight, <i>Keltonia</i>	590	<i>tumidum</i> Howden, <i>Deltocbilum</i>	738
<i>sandersoni</i> Yamamoto and Ross,		<i>umbonatus</i> Wong, <i>Allantus</i>	852
<i>Mystacides</i>	630	<i>virkkii</i> , Howden and Endrödi,	
<i>schlingeri</i> Wilcox, <i>Ablautus</i>	680	<i>Cyclocephala</i>	301
<i>simplex</i> Mason, <i>Kristotomus</i>	46	<i>vittata</i> Selander, <i>Serrosipasta</i>	476
<i>simplex</i> Selander, <i>Protomeloe</i>	463		